

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	1017	718/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 09:49
L8	1025	((assign\$4 or dedicat\$4 or designat\$4 or appoint\$4 or allocate\$4 or delegat\$4) near4 ((user or operator) near4 node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:51
L9	2	7 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 09:42
L10	4397	718/100-106.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 09:49
L11	21	10 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 10:50
L12	951	709/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 10:50
L15	4307	(allocat\$4 near4 resource) with (user or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:42
L16	75	L8 and L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:44
L17	211980	(copy\$4 or mov\$4 or transfe\$4 or transmit\$4) near4 (application or software or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:45

L18	6099	((copy\$4 or mov\$4 or transfe\$4 or transmit\$4 or send\$4) near4 (application or software or program)) with ((user or end\$user) near3 (data or info or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:46
L19	17	16 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR /	ON	2005/11/17 14:47
L20	3	16 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 14:46
L21	1025	((pre\$assign\$4 or assign\$4 or dedicat\$4 or designat\$4 or appoint\$4 or allocates\$4 or delegat\$4) near4 ((user or operator) near4 node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 15:08
L22	18	21 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 15:08

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S26	1820	(Distribut\$4 near4 load) and (load near3 balanc\$4) and ((plurality or multiple or multi) near4 (node or computer\$3 or processor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:13
S27	418	S26 and (node near4 request\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 14:52
S28	148	S27 and (user near4 node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:00
S29	17	S27 and ((assign\$4 or dedicat\$4) near4 (user near4 node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:13
S30	584	((assign\$4 or dedicat\$4) near4 ((user or operator) near4 node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:54
S31	265570	(user or 'I/o' or (input\$output)) near4 (request or transaction or task or process or command or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:18
S32	382	S30 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:23
S33	18	S32 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:22
S34	795	(determin\$4 or calculat\$4 or predict\$4 or comput\$4) with node with (able or capable or handle) with (request or transaction or task or process or command or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:26

S35	31	S32 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 10:25
S36	50	node with (able or capable or handle) with (servic\$6 or Perform\$4) with user with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:57
S37	20	S36 with (determin\$4 or calculat\$4 or predict\$4 or comput\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:54
S38	1024	((assign\$4 or dedicat\$4 or designat\$4 or appoint\$4 or allocate\$4 or delegat\$4) near4 ((user or operator) near4 node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:57
S39	227	node with (able or capable or handle or availabe) with (servic\$6 or Perform\$4 or process\$4) with user with (request or input or process or event or transaction or task or command or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:59
S40	1282	(node or unit) with (able or capable or handle or availabe) with (servic\$6 or Perform\$4 or process\$4) with user with (request or input or process or event or transaction or task or command or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:59
S41	2936	(node or unit or computer) with (able or capable or handle or availabe) with (servic\$6 or Perform\$4 or process\$4) with user with (request or input or process or event or transaction or task or command or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:10
S42	26	S38 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:08
S43	189	(dynamically near4 allocat\$4 near4 resource) with (user or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:25

S44	0	S38 and S43 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:12
S45	3	S38 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:10
S46	26	S38 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:12
S47	1	S43 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:16
S48	4	((("6857025") or ("5774668"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:20
S49	4297	(allocat\$4 near4 resource) with (user or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:25
S50	75	S38 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:26
S51	66800	(load near3 balanc\$4) or (traffic near3 steer\$4) or (traffic near3 shap\$4) or (assign\$4 near3 (task or request or process))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:36
S52	0	709/220,221,222,226\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:33
S53	4723	709/220,221,222,226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:35

S54	1124	S51 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:37
S55	23	S38 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 09:41